

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of the Claims:

1. (Currently amended) A hemofiltration system comprising:
a container support device for supporting a fluid container, wherein the container support device comprises comprising:

an attachment member for coupling the container support device to a weight scale;

a joint body attached to the attachment member and configured to rotate about a vertical axis thereof;

a support body secured to the joint body; and

at least one container support extending from the support body, wherein the container support is at least one of shaped or oriented to stably support the fluid container.

2. (Currently amended) The device-system of claim 1 wherein the attachment member comprises an attachment member base.

3. (Currently amended) The device-system of claim 2 further comprising a rotation mount positioned on the attachment member base and configured to have the joint body rotatably coupled thereto.

4. (Currently amended) The device-system of claim 1 wherein the joint body further comprises a first joint member and a second joint member coupled to the first joint member in movable relation.

5. (Currently amended) The ~~device~~system of claim 4 wherein the first joint member further comprises a first joint body base having a rotation body located thereon.

6. (Currently amended) The ~~device~~system of claim 1 wherein the joint body further comprises a universal joint assembly.

7. (Currently amended) The ~~device~~system of claim 6 wherein the universal joint assembly further comprises a block and pin universal joint.

8. (Currently amended) The ~~device~~system of claim 6 wherein the universal joint assembly further comprises a single pivot joint.

9. (Currently amended) The ~~device~~system of claim 6 wherein the universal joint assembly further comprises a double pivot joint.

10. (Currently amended) The ~~device~~system of claim 6 wherein the universal joint assembly further comprises a multiple pivot joint.

11. (Currently amended) The ~~device~~system of claim 1 wherein at least two container supports are equidistant from a vertical axis of the support body.

12. (Currently amended) The ~~device~~system of claim 1 wherein the at least one container support is coupled to the container support body in rotatable relation.

13. (Currently amended) The ~~device~~system of claim 1 wherein the at least one container support is configured to support a bag.

14. (Currently amended) The ~~device~~system of claim 1 wherein the at least one container support is movably coupled to the support body.

15. (Currently amended) The ~~device-system~~ of claim 14 wherein the support body comprises a container support body.

16. (Withdrawn) The device of claim 15 further comprising a container support channel formed on the container support body and configured to receive the at least one container support therein.

17. (Currently amended) The ~~device-system~~ of claim 1 wherein the container support device is configured to couple to a system for providing blood filtration therapies.

18. – 20. Cancelled

21. (Currently amended) A hemofiltration system comprising:
a container support device for supporting a fluid container, wherein the container support device comprises
comprising:

an attachment member for coupling the container support device to a weight scale;

a joint body attached to the attachment member and configured to rotate about a vertical axis thereof, the joint body having a first joint member configured to couple to the attachment member in rotatable relation thereto and a second joint member configured to couple to the first joint member; a support body movably coupled to the second joint member; and

at least one container support extending from the support body, wherein the container support is at least one of shaped or oriented to stably support the fluid container.

22. (Currently amended) The ~~device-system~~ of claim 21 wherein the joint body comprises a universal joint assembly.

23. (Currently amended) The ~~device-system~~ of claim 21 wherein the at least one container support is rotatably coupled to the support body.

24. (Currently amended) A hemofiltration system comprising:
a container support device for supporting a fluid container, wherein the container support device comprises
comprising:

an attachment member for coupling the container support device to a medical fluid replacement device;

a joint body attached to the attachment member and configured to rotate about a vertical axis thereof, the joint body having a first joint member configured to couple to the attachment member in rotatable relation thereto and a second joint member configured to couple to the first joint member and move along a first arc A1;

a support body movably coupled to the second joint member and configured to move along a second arc A2; and

at least two container supports extending from the support body, wherein the container support is at least one of shaped or oriented to stably support the fluid container.

25. (Currently amended) The device-system of claim 24 wherein arc A2 is perpendicular to arc A1.

26. (Currently amended) The device-system of claim 24 wherein the at least two container supports are positioned to be equidistant from the vertical axis of the joint body.

27. (Currently amended) The device-system of claim 1, wherein the container support is oriented at a non-perpendicular angle with respect to the vertical axis.

28. (Currently amended) The device-system of claim 1, wherein the container support has a flared free end for support of the fluid container.

29. Cancelled